

UKCA DECLARATION OF CONFORMITY

LR 100 ATEX



UKCA Declaration of Conformity

COMPANY:
MEDIATOR LTD.

ADDRESS:
78 YORK STREET
LONDON, W1H 1DP
ENGLAND
PHONE: +442045790661

PRODUCT INFORMATION:
BIOMEDICAL REFRIGERATORS

MODEL:
LR 100 ATEX / 270-2 ATEX / 300 ATEX / 500 ATEX / 700 ATEX / 1400
ATEX

WE HEREBY DECLARE THAT THE MENTIONED PRODUCTS COMPLY WITH THE FOLLOWING DIRECTIVES, NATIONAL LAWS AND HARMONIZED STANDARDS:

DIRECTIVES AND NATIONAL LAWS:

2006/42/EC
2011/65/EU
2014/30/EU

2014/34/EU

2014/35/EU

MACHINERY DIRECTIVE
ROHS DIRECTIVE
ELECTROMAGNETIC COMPATIBILITY (EMC)
DIRECTIVE
EQUIPMENT AND PROTECTIVE SYSTEMS
INTENDED FOR USE IN POTENTIALLY
EXPLOSIVE ATMOSPHERES
LOW VOLTAGE DIRECTIVE

HARMONIZED STANDARDS:

EN ISO 9001:2015
EN ISO 13485:2016

EN 60335-2-89:2010 / A1:2016 / A1:2017
EN 61010-1:2010

EN 60079-15:2010

QUALITY MANAGEMENT SYSTEM
MEDICAL DEVICES QUALITY
MANAGEMENT SYSTEM
HOUSEHOLD AND SIMILAR APPLIANCES
SAFETY REQUIREMENTS FOR ELECTRICAL
EQUIPMENT FOR MEASUREMENT, CONTROL,
AND LABORATORY USE PART 1: GENERAL
REQUIREMENTS
EQUIPMENT PROTECTION BY TYPE AND
PROTECTION "N" (EXPLOSIVE
ATMOSPHERES)

INTERNAL STORAGE COMPARTMENT ZONE 2
*ZONE 2 CLASS ONLY APPLIES TO STORAGE
COMPARTMENT.-EX II - / 3 G IIA FAN IQ-
MOTOR. ALL MATERIAL STORED IN THIS
PRODUCT MUST BE IN AIRTIGHT PACKING

5082171-01

EMISSION:

EN 55014-1:2006, A1:2009, A2:2011

EN 61000-3-3:2013

EN 61000-3-2:2014

EN 61326-1:2013

PRODUCT FAMILY STANDARD –
REQUIREMENTS FOR HOUSEHOLD
APPLIANCES, ELECTRIC TOOLS AND SIMILAR
APPARATUS

PRODUCT FAMILY STANDARD – FLICKER
PRODUCT FAMILY STANDARD – HARMONIC
CURRENT

PRODUCT FAMILY STANDARD,
MEASUREMENT, CONTROL AND
LABORATORY EQUIPMENT

IMMUNITY:

EN 55014-2:1997 + CORR.:1998, A1:2001, A2:2008

EN 61326-1:2013

PRODUCT FAMILY STANDARD
REQUIREMENTS FOR HOUSEHOLD
APPLIANCES, ELECTRIC TOOLS AND SIMILAR
APPARATUS - PART 2: IMMUNITY

PRODUCT FAMILY STANDARD
MEASUREMENT, CONTROL AND
LABORATORY EQUIPMENT

Kolding

31/5/22
City & DD/MM/YYYY



Name & position

Jens Haugaard
CEO, M.Sc. Chem.Eng.



Follow us on

