

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printing Date: March 18, 2023

Version No.: 1.0

Revision: March 18, 2023

### 1 Identification

**• Product identifier****• Trade name:**PCM+5**• Other means of identification:**

No available data.

**• Recommended use of the chemical and restrictions on use****• Application of the substance/ mixture:**

Professional uses, cold chain.

**• Details of the supplier of the safety data sheet****• Manufacturer/Supplier:**

Rapid Aid Viet Nam Co., Ltd.

Cau Ha A hamlet, Quang Trung Commune, An Lao District, Hai Phong City, Viet Nam.

Post code: 04512

Tel: 1-800-265-3468

Email: aalleva@rapidaid.com

National contact: Lingo Wang

**• Other contact point:**

Rapid Aid Corp.

4120A Sladeview Crescent, Mississauga, L5L 5Z3

Tel: 1-800-265-3468

National contact: Anthony Alleva

**• Further information obtainable from:**

Rapid Aid Viet Nam Co., Ltd.

**• Emergency telephone number**

Tel: 1-800-265-3468 (24 hours available)

### 2 Hazard(s) identification

**• Classification of the substance or mixture:**

This product is not classified according to OSHA 2012 Hazard Communication Standard (29 CFR 1910.1200).

Hazard class	Hazard category
Not applicable	Not applicable

**• Classification system:**

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200) and extended by company and literature data.

**• Label elements****• Labeling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)****• Hazard pictograms:**

Not applicable

**• Signal word:**

Not applicable

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printing Date: March 18, 2023

Version No.: 1.0

Revision: March 18, 2023

**Trade Name:** PCM+5**• Hazard-determining components of labelling:**

Not applicable

**• Hazard statements:**

Not applicable

**• Precautionary statement:**

Not applicable

**• Hazards not otherwise classified (HNOC):**

No known otherwise classified hazards.

### 3 Composition/information on ingredients

**• Chemical characterization:**

Mixture

**• Description:**

PCM+5.

<b>• Components:</b>		
<b>CAS No.</b>	<b>Composition Name</b>	<b>w/w, %</b>
8002-74-2	Paraffin wax	66
25322-68-3	Polyethylene Glycols	29
9000-30-0	Guar gum	3
24634-61-5	Potassium sorbate	2

### 4 First aid measures

**• Description of first aid measures****After inhalation:**

Supply with fresh air.

Call for doctor/physician if you feel unwell.

**After skin contact:**

Wash with water.

If there are signs of irritation or other symptoms seek medical attention.

**After eye contact:**

Rinse cautiously with water.

If eye irritation occurs: Get medical advice/attention.

**After swallowing:**

Rinse mouth.

Call a POISON CENTER/doctor if you feel unwell.

**• Information for doctor****• Most important symptoms and effects, both acute and delayed:**

No known symptoms or effects, acute or delayed.

**• Indication of any immediate medical attention and special treatment needed:**

Treat according to symptom, there is not known specific medicine.

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printing Date: March 18, 2023

Version No.: 1.0

Revision: March 18, 2023

Trade Name: PCM+5

### 5 Fire-fighting measures

• **Suitable extinguishing agents:**

Use CO<sub>2</sub>, powder, water spray or alcohol resistant foam to extinguish.

DO NOT use water with full jet.

• **Special hazards arising from the substance or mixture:**

May form irritant vapor in air under fire.

• **Special protective equipment and precaution for firefighters**

**Protective equipment:**

Wear self-contained breathing apparatus for firefighting.

### 6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures:**

Collect the leakage timely.

Ensure adequate ventilation.

Prevent to contact with eyes.

• **Environmental precautions:**

Do not allow the product to enter sewers/surface or ground water.

Inform respective authorities in case of seepage into water course or sewages system.

• **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure well ventilation.

Dispose contaminated material as waster according to item 13.

### 7 Handling and storage

• **Handling**

• **Precautions for safe handling:**

Ensure adequate ventilation at workplace.

Avoid breathing vapour.

Avoid contact with eyes.

• **Information about fire and explosion protection:**

Normal measures for preventive fire protection.

• **Conditions for safe storage, including any incompatibilities**

• **Requirements to be met by storerooms and receptacles:**

Store in a cool and well-ventilated place.

• **Information about storage in one common storage facility:**

No further requirements.

• **Further information about storage conditions:**

No further requirements.

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printing Date: March 18, 2023

Version No.: 1.0

Revision: March 18, 2023

Trade Name: PCM+5

### 8 Exposure controls/personal protection

• **Components with limit values that require monitoring at the workplace:**

CAS No.	Composition	OSHA PEL	NIOSH REL	ACGIH TLV	Cal/OSHA PEL
8002-74-2	Paraffin wax	-	2 mg/m <sup>3</sup> TWA	2 mg/m <sup>3</sup> TWA	2 mg/m <sup>3</sup> TWA

• **Additional information:**

The lists that were valid during the creation were used as basis.

• **Based on the composition shown in section 3, the following measures are suggested for occupational safety measure:**

• **Appropriate engineering controls:**

Handle in accordance with good industrial hygiene and safety practice.

See section 7 for information about design of technical facilities.

• **Personal protective equipment:**

• **Breathing equipment:**

Dust mask is recommended.

• **Protection of hands:**



Protective gloves

Gloves made from butyl rubber Neoprene™ rubber, nitrile rubber (thickness > 0.11 mm; breakthrough times up to 480 minutes).

• **Eye protection:**



Safety glasses

Protective goggles with side-shields.

• **Body Protection:**

Gauntlets, boots, bodysuit are recommended.

### 9 Physical and chemical properties

• **Information on basic physical and chemical properties**

• **Appearance:**

<b>Form</b>	Liquid
<b>Color</b>	Not determined
<b>Odor</b>	Slight smell
<b>Odor threshold</b>	Not determined
<b>pH-value</b>	Not determined
<b>Change in condition</b>	
<b>Melting point/melting range</b>	Not determined.
<b>Boiling point and boiling range</b>	Not determined.
<b>Freezing point</b>	Not determined.
<b>Flash point</b>	>93°C
<b>Flammability</b>	Not flammable liquid

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printing Date: March 18, 2023

Version No.: 1.0

Revision: March 18, 2023

Trade Name: PCM+5

• <i>Decomposition temperature</i>	<i>Not applicable</i>
• <i>Self-ignition</i>	<i>Not determined.</i>
• <i>Danger of explosion</i>	<i>Product dose not present explosive hazard.</i>
• <i>Explosion limits</i>	
<i>Lower:</i>	<i>Not determined.</i>
<i>Upper:</i>	<i>Not determined.</i>
• <i>Oxidizing properties</i>	<i>Not oxidizing agent</i>
• <i>Vapor pressure</i>	<i>Not determined.</i>
• <i>Density</i>	<i>Not determined.</i>
• <i>Relative density</i>	<i>Not determined.</i>
• <i>Vapor density</i>	<i>Not determined.</i>
• <i>Evaporation rate</i>	<i>Not determined.</i>
• <i>Solubility in/Miscibility with</i>	
<i>Water</i>	<i>Insoluble in water</i>
• <i>Partition coefficient (n-octanol/water)</i>	<i>Not applicable</i>
• <i>Viscosity</i>	
<i>Dynamic</i>	<i>Not determined.</i>
<i>Kinematic</i>	<i>Not determined.</i>
• <i>Other information</i>	<i>Not determined.</i>

### 10 Stability and reactivity

• **Reactivity:**

The product is non-reactive under normal conditions of use, storage and transport.

• **Chemical stability:**

Stable under recommended storage conditions.

• **Possibility of hazardous reactions:**

No known hazardous reaction.

• **Conditions to avoid:**

High temperature and flame.

• **Incompatible materials:**

Strong acids and strong oxidizing agents.

• **Hazardous decomposition products:**

No known hazardous decomposition products.

### 11 Toxicological information

• **Acute toxicity:**

Non-toxic chemical.

LD50/LC50 values relevant for classification:

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printing Date: March 18, 2023

Version No.: 1.0

Revision: March 18, 2023

**Trade Name:** PCM+5

8002-74-2 Paraffin wax		
Rat	LD50-oral	>5000mg/kg
	LD50-skin	>2000mg/kg
25322-68-3 Polyethylene Glycols		
Guinea pig	LD50-oral	15700mg/kg
Mouse	LD50-oral	36000mg/kg
Rabbit	LD50-oral	14000mg/kg
	LD50-skin	>20000mg/kg
Rat	LD50-oral	>4000mg/kg
24634-61-5 Potassium sorbate		
Rat	LD50-oral	>9 600mg/kg
	LD50-skin	2 000 mg/kg
Remark: All the above data are from literature.		
<p>• <b>Primary irritant effect</b></p> <p>• <b>Skin corrosion/irritation:</b> Not irritant to skin.</p> <p>• <b>Serious eyes damage/ irritation:</b> Not irritant to eyes.</p> <p>• <b>Sensitization:</b> Not sensitive to skin or respiratory.</p> <p>• <b>Additional toxicological information:</b> The product is not subject to classification according to internally approved calculation methods for preparations.</p> <p>• <b>Carcinogenic categories</b></p> <p>• <b>IARC (International Agency for Research on Cancer):</b> None of the ingredients is listed.</p> <p>• <b>NTP (National Toxicology Program):</b> None of the ingredients is listed.</p>		

## 12 Ecological information

• **Toxicity:**

**LC50/EC50/NOEC values relevant for classification:**

25322-68-3 Polyethylene Glycols

Short-term toxicity to fish	LC50 (4 days) 100 - 188.006 mg/L
Short-term toxicity to aquatic invertebrates	LC50 (48 h) 357.142 - 1 000 mg/L NOEC (48 h) 712.984 mg/L
Toxicity to aquatic algae and cyanobacteria	NOEC (72 h) 56.02 mg/L

24634-61-5 Potassium sorbate

Short-term toxicity to fish	LC50 (4 days) 500 mg/L NOEC (4 days) 500 mg/L
Short-term toxicity to aquatic invertebrates	EC50 (48 h) 982 mg/L

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printing Date: March 18, 2023

Version No.: 1.0

Revision: March 18, 2023

**Trade Name:** PCM+5

		NOEC (48 h) 804 mg/L
Toxicity to microorganisms		EC50 (3 h) 100 mg/L NOEC (3 h) 100 mg/L
• <b>Persistence and degradability:</b>		
25322-68-3	Polyethylene Glycols	Readily biodegradable in water
24634-61-5	Potassium sorbate	Readily biodegradable in water
• <b>Bio-accumulative potential:</b>		
25322-68-3	Polyethylene Glycols	Log Pow=-2.297
24634-61-5	Potassium sorbate	Log Pow= -1.72 - 1.32
• <b>Mobility in soil:</b>		
25322-68-3	Polyethylene Glycols	Log Koc=1
24634-61-5	Potassium sorbate	Log Koc= -1.82; Henrys law constant=0
• <b>Additional ecological information</b>		
• <b>Other adverse effects:</b>		
No known other adverse effects.		

### 13 Disposal consideration

• **Waste treatment methods**

• **Recommendation:**

Small quantities can be disposed together with household garbage.

Large quantities disposed must be in according to the local regulation.

• **Un-cleaned packaging**

• **Recommendation:**

Dispose of contents/container in according to the local regulation.

### 14 Transport information

• <b>DOT-DGR</b>	This product is not subject to DOT-DGR.
• <b>IMO/IMDG (40-20)</b>	This product is not subject to IMO/IMDG code.
• <b>IATA-DGR (64th)</b>	This product is not subject to IATA-DGR.

### 15 Regulatory information

• **Safety, health and environmental regulations/legislation specific for the substance or mixture**

• **Sara**

• **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

• **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printing Date: March 18, 2023

Version No.: 1.0

Revision: March 18, 2023

**Trade Name:** PCM+5**• TSCA (Toxic Substances Control Act):**

8002-74-2	Paraffin wax	Listed
25322-68-3	Polyethylene Glycols	Listed
9000-30-0	Guar gum	Listed
24634-61-5	Potassium sorbate	Listed

**• Proposition 65****• Chemicals known to cause cancer:**

None of the ingredients is listed.

**• Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**• Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**• Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**• Washington, WAC 173-334-130 (CHCC):**

None of the ingredients is listed.

**• Chemicals of Concern, published by Maine DEP on July, 2015:**

None of the ingredients is listed.

**• Chemicals of High Concern to Children, published by Department of Health, Vermont, Rev Date Nov 24, 2014:**

None of the ingredients is listed.

**• High Priority Chemicals of Concern for children's Health, Oregon, update on May 18, 2016:**

None of the ingredients is listed.

**• Carcinogenicity categories****• EPA (Environmental Protection Agency):**

None of the ingredients is listed.

**• TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients is listed.

**• NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients is listed.

**• OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients is listed.

**16 Other information**

The contents and format of this SDS are in accordance with 29 CFR 1910.1200(g).

**DISCLAIMER OF LIABILITY:**

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

\*\*\*\*\*



# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printing Date: March 18, 2023

Version No.: 1.0

Revision: March 18, 2023

Trade Name: PCM+5

• **Abbreviations and acronyms:**

DOT: Department of Transportation

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

EC50: Concentration of maximal effect, 50 percent

NOEC: No observed effect concentration

PEL: Permissible Exposure Limit

TLV: Threshold limit value

REL: Recommended Exposure Limit

\*\*\*\*\*

End of safety data sheet